

APR 19 2007

Attorney Docket No.: 1033-LB1009

Claim Amendments:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A collaborative call method comprising:  
initiating presentation of a graphical user interface (GUI) element ~~in connection with~~ in response to initiation of a collaborative call, the GUI element operable to display a listing of call participants associated with the collaborative call; and  
updating information presented in the GUI element in response to a status change of a call participant.
2. (Original) The method of claim 1, further comprising:  
recognizing that a caller joins the collaborative call; and  
presenting a name for the caller within the GUI element.
3. (Original) The method of claim 1, further comprising using a caller ID service to identify a caller joining the collaborative call.
4. (Original) The method of claim 1, further comprising prompting a caller joining the collaborative call to speak in connection with identifying the caller.
5. (Original) The method of claim 1, further comprising tracking a caller status for at least one participant of the collaborative call.
6. (Original) The method of claim 5, wherein the caller status is selected from a group consisting of an on-call state, an off-call state, a currently speaking state, a waiting to speak state, and a paused-call state.
7. (Original) The method of claim 1, further comprising tracking a caller metric for at least one call participant.

8. (Original) The method of claim 7, wherein the caller metric is selected from a group consisting of a call joining time, a call exiting time, an on-call duration time, an accepted to do list, and a participation level indicator.
9. (Original) The method of claim 1, further comprising generating a collaborative call report.
10. (Original) The method of claim 9, wherein the collaborative call report comprises a list of participants and a tracked metric for at least one participant.
11. (Original) The method of claim 10, wherein the collaborative call report further comprises a transcript of the collaborative call.
12. (Original) The method of claim 1, further comprising receiving a signal indicating a desire of a caller to communicate with at least one other caller via the collaborative call.
13. (Original) The method of claim 12, further comprising updating the GUI element to indicate the desire.
14. (Original) The method of claim 12, wherein the signal launched in response to a keystroke of the caller.
15. (Original) The method of claim 12, further comprising:  
updating the GUI element to include an indication of the desire;  
recognizing a subsequent communication by the caller; and  
updating the GUI element to remove the indication.
16. (Original) The method of claim 1, further comprising presenting at least a portion of a transcript of the collaborative call in a textual format within a near real time chat window associated with the GUI element.

17. (Original) The method of claim 1, further comprising creating a blog of the collaborative call.

18. (Original) The method of claim 1, further comprising: generating a collaborative call report comprising a list of participants and a transcript of at least a portion of the collaborative call; and distributing the collaborative call report to at least one call participant.

19. (Original) The method of claim 18, wherein distributing the collaborative call report comprises sending a message selected from a group consisting of an electronic mail message, an Instant Message, a facsimile message, and a physical paper message.

20. (Original) The method of claim 1, wherein the GUI element comprises an administrative feature icon, the method further comprising:

recognizing that a caller joins the collaborative call; determining that the caller is a call host; initiating presentation of the GUI element on a display associated with the call host;

recognizing that a second caller joins the collaborative call; and initiating presentation of a different GUI element on a display associated with the second caller, the different GUI element missing the administrative feature.

21. (Original) The method of claim 1, wherein the GUI element comprises an administrative feature icon operable to trigger termination of a web session associated with the collaborative call, the method further comprising:

recognizing that a caller joins the collaborative call; determining that the caller is a call host; and

initiating presentation of the GUI element on a display associated with the call host.

22. (Original) The method of claim 21, further comprising: receiving a signal indicating activation of the administrative feature icon; and terminating the web session.

23. (Currently Amended) A computer-readable medium ~~having comprising~~ computer-readable data executable by a processor to initiate presentation of a host graphical user interface (GUI) in connection with a collaborative call, the host GUI comprising an administrator icon and a listing of call participants associated with the collaborative call, the computer-readable data executable by the processor to initiate presentation of a participant GUI having an appearance different than the host GUI[,]] and to update information presented in the host GUI and in response to a status change of a call participant.

24. (Currently Amended) The computer-readable medium of claim 23 ~~having including~~ additional computer-readable data executable by the processor to update participant GUI information presented in response to the status change of the call participant.

25. (Currently Amended) The computer-readable medium of claim 23 ~~having including~~ additional computer-readable data executable by the processor to generate a transcript of the collaborative call and to initiate communication of the transcript to at least one call participant.

26. (Original) The computer-readable medium of claim 23 wherein the caller status is selected from a group consisting of an on-call state, an off-call state, a currently speaking state, a waiting to speak state, and a paused-call state.

27. (Currently Amended) The computer-readable medium of claim 23 ~~having including~~ additional computer-readable data executable by the processor to initiate presentation of a GUI element within the host GUI, the GUI element comprising at least a portion of a transcript of the collaborative call in a textual format.

28. (Original) The computer-readable medium of claim 27 wherein the transcript is presented in near real time.

29. (Currently Amended) A collaborative call system, comprising:  
a computing platform operable to be communicatively coupled to a remote host station and a remote participant station;  
a participant status engine executing on the computing platform and operable to track a caller status for ~~at least one participant associated with participants~~ of the collaborative call, wherein the caller status is selected from a group consisting of an on-call state, an off-call state, a currently speaking state, a waiting to speak state, and a paused-call state; and  
a presentation engine associated with the participant status engine, the presentation engine operable to initiate presentation of a first graphical user interface (GUI) on the remote host station and a different GUI on the remote participant station.
30. (Original) The system of claim 29, wherein the first GUI comprises a list of call participants and a status icon for each of the participants.
31. (Original) The system of claim 29, further comprising a communication engine operable to initiate communication of a call report to the remote host station in response to completion of the collaborative call.
32. (Original) The system of claim 29, further comprising an update engine associated with the presentation engine, the update operable to initiate an updating of the first GUI and the different GUI in response to a change in status of a call participant.
33. (Original) The system of claim 29, further comprising a thin client executing at the remote host station.
34. (Original) The system of claim 29, wherein the collaborative call comprises a conference call via a bridge.
35. (Original) The system of claim 29, wherein the collaborative call comprises a voice over Internet Protocol (VoIP) call.

36. (Original) The system of claim 29, further comprising an interactive voice response (IVR) unit communicatively coupled to the computing platform, the IVR unit operable to allow a participant to access information associated with the collaborative call via a voice telephone call.

37. (Original) The system of claim 29, further comprising a next to speak engine associated with the presentation engine, the next to speak engine operable to recognize a desire of a call participant to communicate via the collaborative call and to initiate presentation of an indication of the desire in the first GUI.

38. (New) A method comprising:

presenting a graphical user interface (GUI) element in response to initiation of a collaborative call having two or more call participants, the GUI element operable to display a listing of the two or more call participants, the listing including a participant status associated with each of the two or more call participants; and updating information presented in the GUI element in response to a change in a participant status of a call participant; wherein the participant status is related to activity by the call participant during the collaborative call.

39. (New) The system of claim 38, wherein a first participant status associated with a first call participant of the two or more call participants is different from a second participant status associated with a second call participant of the two or more call participants.

40. (New) The method of claim 38, further comprising communicating data to a calendar program of a call participant to populate the calendar program with a scheduled item.